


**KMEW**

Quality Distributed By



# Wall


2024 | 02 |






Products

Legerair / FLAT DESIGN PANEL / Neorock Photocatalytic Ceramic Coating /  
Filltect Photocatalytic Ceramic Coating / Excellage Photocatalytic Ceramic Coating



### Decomposition Power


Dirt is decomposed by the sun (Ultraviolet Rays), weakening adhesion.



### Air-purifying Function

Photocatalytic coat decomposes pollutants in the air and exhaust gas (NOx and SOx) into clean air .

The air purification capability of Photocatalytic coat of 165m<sup>2</sup> is worth 12 poplars.




\*Assuming a poplar tree's air purifying capability (NO2) is 0.57g / day

Compatibility with water allows for easy cleaning.

## Super Hydrophilic Property

Due to the extreme compatibility with water, rainwater rinses off dirt.



The ceramic coating layer offers strong protection against fading and sunburning


## Super Weather Resistance

The double effects of the inorganic resin and the inorganic UV absorber protects against over time and cuts UV rays.

### Point 1: Inorganic resin

The main framework is 100% inorganic with bonds that are strengthened by UV energy to prevent deterioration over time.

■ Molecular structure diagram



Bonds are not easily broken

Molecular Bonds

413 KJ / mol  
Kilo Jules per mole

443KJ / mol

Increased strength from UV energy to prevent bonds from being easily broken

### Point 2: Inorganic UV absorber

The inorganic construction helps prevent deterioration and is able to cut UV rays.




Products

Neorock Hydrophilic coating / Excellage Hydrophilic coating  
Filltect Hydrophilic coating / Ceradir Hydrophilic coating



Compatibility with water allows for easy cleaning.


Washed away by rainwater. Water gets on the dirt and washes the dirt away



Advanced hydrophilic coating technology helps wash away dirt accumulated on the panel with rainwater. After panel being cleaned with rainwater from dirt, moisture remains on the hydrophilic surface. The color coating is strongly protected from moisture.

## Hydrophilic

The panel structure is formed from the substrate, base paint protective clear coating and hydrophilic coating.





## Excellage Photocatalytic Ceramic Coating 15

# Hiyori 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



**A** EH3211H  
**B** EH3211K



**A** EH3212H  
**B** EH3212K

### Specifications

Size	15×455(exposed width)×3030mm
Price	<b>8,600 JPY</b> /piece 6,240 JPY/m <sup>2</sup>
Number of panel per package	2 pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

### Outside corner




### Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
<b>A</b>	EH3211H	EHD3211H	B8430495	B961602CH
	EH3212H	EHD3212H	B8430746	B961484EH
<b>B</b>	EH3211K	EHD3211K	B8430495	B96644BK
	EH3212K	EHD3212K	B8430746	B96746BK
Price		<b>3,600 JPY</b> /piece	<b>6,000 JPY</b> /piece	<b>6,000 JPY</b> /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately		Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.



Excellage Hydrophilic 15  
Plaster Flat  
EW 7533H

## Excellage Hydrophilic 15

Silbus Tile 15  
 Supreme Stone 15  
 Pietra Relief  
 Lapis Wave  
 Elongated Stone  
 Traditional Border 15  
 Verde Brick  
 Baker Brick  
 Stable Tile  
 Cube Sucre 15  
 Scratch Cross  
 Bare Concrete 15  
 Luminous Wood  
 Clair Wood 15  
 Cimant Flat  
 Plaster Flat  
 Orden  
 Glitter  
 Clot  
 Pebble  
 Elenore  
 Alivio  
 Smash Line 15  
 Placido 15  
 Hiyori 15  
 Luge 15

### ■ Performance List

item	unit	Excellage Hydrophilic 15	note
		15mm thickness	
specific gravity	—	1.1*	Drying at 105°C for 24 hours
Water content	%	20 or under	JISA5422
Water absorption rate	%	50 or under	Water absorption 24h→105°C 24h
Bending Failure Load	N	785 or over	JISA5422
Impact resistance	—	Passed	JISA5422

\*These are our measured values.

# Excellage Hydrophilic 15

15 mm thickness | Excellage Hydrophilic 15

15x455x3030(mm) | 7,300JPY/piece 5,300JPY/m<sup>2</sup>

Hydrophilic  
Self-  
cleaning

Weather  
resistance grade  
★★

## Silbus Tile 15

Installation  
Horizontal



EW37010K



EW37011K



EW37012K



EW37013K

## Supreme Stone 15

Installation  
Horizontal and  
Vertical



EW4251H



EW4252H



EW4253H



EW4254H

## Pietra Relief

Installation  
Horizontal



EW7541H



EW7542H



EW7543H



EW7544H

## Lapis Wave

Installation  
Horizontal



EW7333K



EW7334K



EW7335K



EW7336K

## Elongated Stone

Installation  
Horizontal and  
Vertical



EW7344K



EW7345K



EW7346K



EW7347K



EW7348K



EW7349K



EW73410K

## Traditional Border 15

Installation  
Horizontal and  
Vertical



EW3675K



EW3679K



EW36710K



EW36711K



EW36712K

## Verde Brick

Installation  
Horizontal



EW7351H



EW7352H



EW7353H



EW7354H



EW7355H

# Excellage Hydrophilic 15

15 mm thickness | Excellage Hydrophilic 15

15x455x3030(mm) | 7,300JPY/piece 5,300JPY/m<sup>2</sup>

Hydrophilic  
Self-  
cleaning

Weather  
resistance grade  
★★

## Baker Brick

Installation  
Horizontal



EW4274K



EW4275K



EW4276K

## Stable Tile

Installation  
Horizontal



EW4416K



EW4417K



EW4418K

## Cube Sucre 15

Installation  
Horizontal



EW3944K



EW3946K



EW3947K



EW3948K

## Scratch Cross

Installation  
Horizontal



EW4041K



EW4043K



EW4044K



EW4046K



EW4047K

## Bare Concrete 15

Installation  
Horizontal  
Vertical



EW3572H

## Luminous Wood

Installation  
Horizontal  
Vertical



EW7361H



EW7362H



EW7363H



EW7364H

## Clair Wood 15

Installation  
Horizontal  
Vertical



EW4239K



EW42310K



EW42311K



EW42312K



EW42313K

15 mm thickness | Excellage Hydrophilic 15

15x455x3030(mm) | 7,300JPY/piece 5,300JPY/m<sup>2</sup>

Hydrophilic  
Self-  
cleaning


Weather  
resistance grade  
★★

Cimant Flat

Installation  
Horizontal  
and  
Vertical




EW7301H




EW7302H



EW7303H



EW7304H



EW7305H

Plaster Flat

Installation  
Horizontal  
and  
Vertical



EW7531H



EW7532H



EW7533H



EW7534H



EW7535H



EW7536H

15x455x3030(mm) | 7,000JPY/piece 5,080JPY/m<sup>2</sup>

Orden

Installation  
Horizontal  
and  
Vertical



EW7072H



EW7074H



EW7075H

Glitter

Installation  
Horizontal



EW4651K



EW4652K



EW4653K

Clot

Installation  
Horizontal



EW4121K



EW4122K



EW4123K

Pebble

Installation  
Horizontal



EW7371K



EW7372K



EW7373K



EW7374K



EW7375K

# Excellage Hydrophilic 15

15 mm thickness | Excellage Hydrophilic 15

15x455x3030(mm) | 7,000JPY/piece 5,080JPY/m<sup>2</sup>

Hydrophilic  
Self-  
cleaning

Weather  
resistance grade  
★★

## Elenore

Installation  
Horizontal



EW7061K



EW7063K

## Alivio

Installation  
Horizontal



EW7101K



EW7102K



EW7103K

## Smash Line 15

Installation  
Horizontal



A EW4221H  
B EW4221K



A EW4222H  
B EW4222K



A EW4223H  
B EW4223K



A EW4224H  
B EW4224K



A EW4225H  
B EW4225K



A EW4226H  
B EW4226K




A EW4228H  
B EW4228K

## Placido 15

Installation  
Horizontal



EW3871K



EW38710K



EW38711K

## Hiyori 15

Installation  
Horizontal



A EW3215H  
B EW3215K



A EW3216H  
B EW3216K

## Luge 15

Installation  
Horizontal



EW7381H



EW7382H



EW7383H



EW7384H



EW7385H



EW7386H

# Silbus Tile 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW37010K



EW37011K



EW37012K



EW37013K

## Specifications

Size	15x455(exposed width)x3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EW37010K		EWD37010K	B8430495	B93HB2669ANK
EW37011K		EWD37011K	B8430580	B93HB1772ANK
EW37012K		EWD37012K	B84302526	B93HB2600DNK
EW37013K		EWD37013K	B84304073	B93HB743DNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Supreme Stone 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW4251H



EW4252H



EW4253H



EW4254H

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner

Shiplap corner

Vertical installation with clips

Outside corner l=455    Outside corner l=3030

15×outside:90(inside:75) ×455(exposed width)    15×outside:90(inside:75) ×3030

## Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW4251H	EWD4251H	EWP4251H	B2241W2	B84302491A	B93HB3001ANH
EW4252H	EWD4252H	EWP4252H	B2241578	B84301808	B93HB1484BNH
EW4253H	EWD4253H	EWP4253H	B2241557	B84301403	B93HB2523ANH
EW4254H	EWD4254H	EWP4254H	B2241W3	B8430709	B93HB1709ANH
Price	3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle 2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Pietra Relief

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7541H



EW7542H



EW7543H



EW7544H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories				
	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint		
EW7541H	EWD7541H	B84304104	B93HB2581ANK	B93HB1602CNH (Light color)	B93HB1602DNH (Dark color)
EW7542H	EWD7542H	B84304105	B93HB2597FNH (Light color)	B93HB2597GNH (Dark color)	—
EW7543H	EWD7543H	B84304106	B93HB783DNH	B93HB743DNK (Light color)	B93HB783ENH (Dark color)
EW7544H	EWD7544H	B84304107	B93HB1708HNNH (Light color)	B93HB1708JNH (Dark color)	—
Price	<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle		
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Lapis Wave

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7333K



EW7334K



EW7335K



EW7336K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EW7333K		EWD7333K	B8430707C	B93HB707ANK
EW7334K		EWD7334K	B8430713	B93HB743BNK
EW7335K		EWD7335K	B84304036	B93HB2551BNK
EW7336K		EWD7336K	B84301716	B93HB2818DNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box* <sup>1</sup> (Ordering Unit 1piece) Caulking[600ml]10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Elongated Stone

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW7344K



EW7345K



EW7346K



EW7347K



EW7348K



EW7349K




EW73410K

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories					Repair Paint	
	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)			
EW7344K	EWD7344K	EWP7344K	B2241557	B84301937	—	B93HB1454BNK	
EW7345K	EWD7345K	EWP7345K	B2241550	B84301935A	—	B93HB753ANK	
EW7346K	EWD7346K	EWP7346K	B2241W3	B84304073	—	B93HB743CNK	
EW7347K	EWD7347K	EWP7347K	B2241549	B84303841	B93HB753ANK (Light color)	B93HB4074ANK (Dark color)	
EW7348K	EWD7348K	EWP7348K	B2241512	B8430495	—	B93HB2669ANK	
EW7349K	EWD7349K	EWP7349K	B2241512	B84304069	—	B93HB4069ANK	
EW73410K	EWD73410K	EWP73410K	B2241427	B84304070	—	B93HB4070BNK	
Price	3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle		
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600m)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Traditional Border 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW3675K



EW3679K



EW36710K



EW36711K




EW36712K

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW3675K	EWD3675K	EWP3675K	B2241W3	B8430743	B93HB1468ANK
EW3679K	EWD3679K	EWP3679K	B2241W3	B8430709	B93HB743CNK
EW36710K	EWD36710K	EWP36710K	B2241512	B8430746	B93HB644ENK
EW36711K	EWD36711K	EWP36711K	B2241557	B84302503	B93HB1454BNK
EW36712K	EWD36712K	EWP36712K	B2241427	B8430746	B93HB2569ANK
Price	3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Verde Brick


Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal




EW7351H




EW7352H



EW7353H



EW7354H



EW7355H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories			
	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
EW7351H	EWD7351H	B84302491A	B93HB3020CNH	—
EW7352H	EWD7352H	B8430746	B93HB2597CNH (Light color)	B93HB2597DNH (Dark color)
EW7353H	EWD7353H	B8430746	B93HB2518BNH (Dark color)	B93HB2518CNH (Light color)
EW7354H	EWD7354H	B84304027	B93HB2604BNH (Dark color)	B93HB2604CNH (Light color)
EW7355H	EWD7355H	B84304028	B93HB2605BNH (Light color)	B93HB2605CNH (Dark color)
Price	<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle	
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece)	60g/bottle	
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <sup>*1</sup> Holder set are sold separately		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

## Excellage Hydrophilic 15

# Baker Brick


Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW4274K



EW4275K



EW4276K

### Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

### Outside corner



### Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EW4274K		EWD4274K	B84304069	B93HB2551DNK
EW4275K		EWD4275K	B84302417C	B93HB707ANK
EW4276K		EWD4276K	B8430713	B93HB743CNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box* <sup>1</sup> (Ordering Unit 1piece) Caulking[600ml]10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Stable Tile

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW4416K



EW4417K



EW4418K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EW4416K		EWD4416K	B84302491A	B93HB2669ANK
EW4417K		EWD4417K	B84302503	B93HB1454BNK
EW4418K		EWD4418K	B84302818	B93HB2600DNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box* <sup>1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle


\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Cube Sucre 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW3944K



EW3946K



EW3947K



EW3948K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list


Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EW3944K		EWD3944K	B8430582	B93HB2575BNK
EW3946K		EWD3946K	B8430746	B93HB2581ANK
EW3947K		EWD3947K	B84301615	B93HB2572ANK
EW3948K		EWD3948K	B8430746	B93HB2569CNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece)		60g/bottle
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces		
		*Holder set are sold separately		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Scratch Cross

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW4041K



EW4043K



EW4044K



EW4046K




EW4047K

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EW4041K		EWD4041K	B8430746	B93HB2729CNK
EW4043K		EWD4043K	B8430582	B93HB753ANK
EW4044K		EWD4044K	B8430581	B93HB747ANK
EW4046K		EWD4046K	B8430709	B93HB743BNK
EW4047K		EWD4047K	B84302491A	B93HB2669CNK
Price		3,500JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box* <sup>1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Bare Concrete 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




EW3572H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY/piece</b> 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW3572H		EWD3572H	EWP3572H	B2241557	B84301403	B93HB1404BNH
Price		3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle 2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Luminous Wood

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW7361H



EW7362H



EW7363H




EW7364H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY</b> /piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 25kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories					Repair Paint	
	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)			
EW7361H	EWD7361H	EWP7361H	B2241457	B84304029	B93HB1603CNH (Dark color)	B93HB1603DNH (Light color)	
EW7362H	EWD7362H	EWP7362H	B2241423	B84304030	B93HB2604DNH (Light color)	B93HB2604ENH (Dark color)	
EW7363H	EWD7363H	EWP7363H	B22413060	B84304031	B93HB3060BNH (Light color)	B93HB3060CNH (Dark color)	
EW7364H	EWD7364H	EWP7364H	B2241W3	B84304032	B93HB1708FNH (Light color)	B93HB1708GNH (Dark color)	
Price	<b>3,500JPY</b> /piece	<b>15,500JPY</b> /piece	<b>2,900JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle		
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600mL)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

## Excellage Hydrophilic 15

# Clair Wood 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW4239K



EW42310K



EW42311K



EW42312K




EW42313K

### Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,300JPY/piece</b> 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

### Outside corner



### Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories					Repair Paint	
	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)			
EW4239K	EWD4239K	EWP4239K	B2241512	B84302491	B93HB2669ANK	—	
EW42310K	EWD42310K	EWP42310K	B2241W4	B84302636	B93HB2721ANK	—	
EW42311K	EWD42311K	EWP42311K	B2241550	B84304007	B93HB3010CNK (Light color)	B93HB3361ANK (Dark color)	
EW42312K	EWD42312K	EWP42312K	B22413060	B84304009	B93HB3328ANK (Light color)	B93HB3365ANK (Dark color)	
EW42313K	EWD42313K	EWP42313K	B2241W3	B84302417B	B93HB2562BNK	—	
Price	<b>3,500JPY/piece</b>	<b>15,500JPY/piece</b>	<b>2,900JPY/piece</b>	<b>6,000JPY/piece</b>	<b>2,600JPY/bottle</b>		
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1 piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Cimant Flat

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




EW7301H




EW7302H



EW7303H



EW7304H




EW7305H

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW7301H	EWD7301H	EWP7301H	B2241W2	B84302491A	B93HB3257ANH
EW7302H	EWD7302H	EWP7302H	B2241557	B84303990	B93HB2515CNH
EW7303H	EWD7303H	EWP7303H	B2241550	B84301937	B93HB3213AU
EW7304H	EWD7304H	EWP7304H	B2241550	B84302414	B93HB3326ANH
EW7305H	EWD7305H	EWP7305H	B2241549	B8430713B	B93HB783ANH
Price	3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Plaster Flat


Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




EW7531H




EW7532H



EW7533H



EW7534H



EW7535H




EW7536H

## Specifications

Size	15×455(exposed width)×3030mm
Price	7,300JPY/piece 5,300JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 25kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW7531H	EWD7531H	EWP7531H	B2241W2	B84302491A	B93HB2597ANH
EW7532H	EWD7532H	EWP7532H	B2241417	B84303102	B93HB3257BNH
EW7533H	EWD7533H	EWP7533H	B2241550	B84302594A	B93HB3327BNH
EW7534H	EWD7534H	EWP7534H	B2241549	B84303342	B93HB3342BNH
EW7535H	EWD7535H	EWP7535H	B2241W3	B84301713	B93HB3353ANH
EW7536H	EWD7536H	EWP7536H	B2241W1	B84303258	B93HB3419ANH
Price	3,500JPY/piece	15,500JPY/piece	2,900JPY/piece	6,000JPY/piece	2,600JPY/bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box <sup>*)</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Orden


Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EW7072H



EW7074H



EW7075H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner

Shiplap corner

Vertical installation with clips

Outside corner l=455    Outside corner l=3030

15×outside:90(inside:75) ×455(exposed width)    15×outside:90(inside:75) ×3030

## Accessories list


Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EW7072H	EWD7072H	EWP7072H	B2241462	B84301758A	B93HB1428BNH
EW7074H	EWD7074H	EWP7074H	B2241W2	B84302491A	B93HB2597ANH
EW7075H	EWD7075H	EWP7075H	B2241W1	B84303045	B93HB3258BNH
Price	<b>3,500JPY</b> /piece	<b>15,500JPY</b> /piece	<b>2,900JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle


\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Glitter

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW4651K



EW4652K




EW4653K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EW4651K		EWD4651K	B84303044	B93HB3064ANK
EW4652K		EWD4652K	B84302628	B93HB1765ANK
EW4653K		EWD4653K	B84303045	B93HB3091BNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Clot

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW4121K



EW4122K



EW4123K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EW4121K		EWD4121K	B84302491B	B93HB2551ANK
EW4122K		EWD4122K	B84302417B	B93HB2562DNK
EW4123K		EWD4123K	B8430709	B93HB709DNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Pebble

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7371K



EW7372K



EW7373K



EW7374K



EW7375K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EW7371K		EWD7371K	B84303044	B93HB3064ANK
EW7372K		EWD7372K	B84302491A	B93HB2551ANK
EW7373K		EWD7373K	B84301615	B93HB788ANK
EW7374K		EWD7374K	B8430462	B93HB747DNK
EW7375K		EWD7375K	B8430709	B93HB709DNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece)		60g/bottle
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Elenore

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7061K



EW7063K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list


Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EW7061K		EWD7061K	B84302491B	B93HB2551ANK
EW7063K		EWD7063K	B84302526	B93HB2600ANK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Alivio

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7101K



EW7102K



EW7103K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EW7101K		EWD7101K	B84303044	B93HB3064ANK
EW7102K		EWD7102K	B8430495	B93HB644CNK
EW7103K		EWD7103K	B84302628	B93HB1765ANK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece)		60g/bottle
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces		
		*Holder set are sold separately		

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Smash Line 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



**A** EW4221H  
**B** EW4221K



**A** EW4222H  
**B** EW4222K



**A** EW4223H  
**B** EW4223K



**A** EW4224H  
**B** EW4224K



**A** EW4225H  
**B** EW4225K



**A** EW4226H  
**B** EW4226K




**A** EW4228H  
**B** EW4228K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000 JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
<b>A</b>	EW4221H	EWD4221H	B84302491A	B93HB2597ANH
	EW4222H	EWD4222H	B8430746	B93HB1484CNH
	EW4223H	EWD4223H	B84302503	B93HB2594ANH
	EW4224H	EWD4224H	B8430709	B93HB1708BNH
	EW4225H	EWD4225H	B8430495	B93HB1602ANH
	EW4226H	EWD4226H	B84301758A	B93HB1428ANH
<b>B</b>	EW4228H	EWD4228H	B84303044	B93HB3300ANH
	EW4221K	EWD4221K	B84302491A	B93HB2551ANK
	EW4222K	EWD4222K	B8430746	B93HB746ANK
	EW4223K	EWD4223K	B84302503	B93HB2720BNK
	EW4224K	EWD4224K	B8430709	B93HB709ENK
	EW4225K	EWD4225K	B8430495	B93HB644CNK
	EW4226K	EWD4226K	B84301758A	B93HB747BNK
	EW4228K	EWD4228K	B84303044	B93HB3064ANK
	Price	<b>3,500 JPY</b> /piece	<b>6,000 JPY</b> /piece	<b>2,600 JPY</b> /bottle
	Number of panel per package	10 pieces/box (Ordering Unit: 1piece)	10 pieces/box*1 (Ordering Unit: 1piece) Caulking(600m)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Placido 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW3871K



EW38710K



EW38711K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 23kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EW3871K		EWD3871K	B8430495	B93HB644CNK
EW38710K		EWD38710K	B84302491A	B93HB2551ANK
EW38711K		EWD38711K	B8430976	B93HB2818CNK
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Hiyori 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



**A** EW3215H  
**B** EW3215K



**A** EW3216H  
**B** EW3216K

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000 JPY</b> /piece 5,080 JPY/m <sup>2</sup>
Number of panel per package	2 pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 24kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (L=455)	Caulking (Holder set: B80E)	Repair Paint
<b>A</b>	EW3215H	EWD3215H	B8430495	B93HB1602ANH
	EW3216H	EWD3216H	B8430746	B93HB1484CNH
<b>B</b>	EW3215K	EWD3215K	B8430495	B93HB644CNK
	EW3216K	EWD3216K	B8430746	B93HB746ANK
Price		<b>3,500 JPY</b> /piece	<b>6,000 JPY</b> /piece	<b>2,600 JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1 piece)	10 pieces/box* <sup>1</sup> (Ordering Unit 1 piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

# Luge 15

Coating performance	Weather resistance	Installation
Hydrophilic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EW7381H



EW7382H



EW7383H



EW7384H



EW7385H



EW7386H

## Specifications

Size	15×455(exposed width)×3030mm
Price	<b>7,000JPY</b> /piece 5,080JPY/m <sup>2</sup>
Number of panel per package	2pieces
Coverage	1.38m <sup>2</sup> /piece
Weight	Approx. 25kg/piece

## Outside corner



## Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EW7381H		EWD7381H	B84302491A	B93HB2597ANH
EW7382H		EWD7382H	B8430495	B93HB1602ANH
EW7383H		EWD7383H	B84301616	B93HB1746ANH
EW7384H		EWD7384H	B84301566A	B93HB2594BNH
EW7385H		EWD7385H	B84303212	B93HB3342BNH
EW7386H		EWD7386H	B8430709	B93HB3258BNH
Price		<b>3,500JPY</b> /piece	<b>6,000JPY</b> /piece	<b>2,600JPY</b> /bottle
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box <sup>*1</sup> (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	60g/bottle

\*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.