


KMEW

Quality Distributed By



Wall


2024 | 02 |






Products

Legerair / FLAT DESIGN PANEL / Neorock Photocatalytic Ceramic Coating /
Filltect Photocatalytic Ceramic Coating / Excellage Photocatalytic Ceramic Coating



Decomposition Power


Dirt is decomposed by the sun (Ultraviolet Rays), weakening adhesion.



Air-purifying Function

Photocatalytic coat decomposes pollutants in the air and exhaust gas (NOx and SOx) into clean air .

The air purification capability of Photocatalytic coat of 165m² is worth 12 poplars.




*Assuming a poplar tree's air purifying capability (NO2) is 0.57g / day

Compatibility with water allows for easy cleaning.

Super Hydrophilic Property

Due to the extreme compatibility with water, rainwater rinses off dirt.



The ceramic coating layer offers strong protection against fading and sunburning


Super Weather Resistance

The double effects of the inorganic resin and the inorganic UV absorber protects against over time and cuts UV rays.

Point 1: Inorganic resin

The main framework is 100% inorganic with bonds that are strengthened by UV energy to prevent deterioration over time.

■ Molecular structure diagram



Bonds are not easily broken

Molecular Bonds

413 KJ / mol
Kilo joules per mole

443 KJ / mol

Increased strength from UV energy to prevent bonds from being easily broken

Point 2: Inorganic UV absorber

The inorganic construction helps prevent deterioration and is able to cut UV rays.




Products

Neorock Hydrophilic coating / Excellage Hydrophilic coating
Filltect Hydrophilic coating / Ceradir Hydrophilic coating



Compatibility with water allows for easy cleaning.


Washed away by rainwater. Water gets on the dirt and washes the dirt away



Advanced hydrophilic coating technology helps wash away dirt accumulated on the panel with rainwater. After panel being cleaned with rainwater from dirt, moisture remains on the hydrophilic surface. The color coating is strongly protected from moisture.

Hydrophilic

The panel structure is formed from the substrate, base paint protective clear coating and hydrophilic coating.







Excellage Photocatalytic Ceramic Coating 15
Rock Stripe
EH4833K

Excellage Photocatalytic Ceramic Coating 15

Excellage Photocatalytic Ceramic Coating 15 ARTIER

Solennael
 Silbus Tile 15
 Rock Stripe
 Baker Brick
 Clair Wood 15

Excellage Photocatalytic Ceramic Coating 15

Violino
 Fine Cresta 15
 Traditional Border 15
 Recife
 Stable Tile
 Cube Sucre 15
 Scratch Cross
 Cimant Flat
 Plaster Flat
 Glitter
 Clot
 Smash Line 15
 Placido 15
 Hiyori 15

■ Performance List

item	unit	Excellage Photocatalytic Ceramic Coating 15	note
		15mm thickness	
specific gravity	—	1.1*	Drying at 105°C for 24 hours
Water content	%	20 or under	JISA5422
Water absorption rate	%	50 or under	Water absorption 24h→105°C 24h
Bending Failure Load	N	785 or over	JISA5422
Impact resistance	—	Passed	JISA5422

*These are our measured values.

Excellage Photocatalytic Ceramic Coating 15 ARTIER

15 mm thickness | Excellage Photocatalytic Ceramic Coating 15 ARTIER

15x455x3030(mm) | 9,100JPY/piece 6,600JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Solennael

Installation
Horizontal
Vertical



EH7081K



EH7082K



EH7083K



EH7084K

Silbus Tile 15

Installation
Horizontal



EH37012K



EH37013K



EH37014K



EH37015K



EH37016K

Rock Stripe

Installation
Horizontal



EH4831K



EH4832K



EH4833K



EH4834K

Baker Brick

Installation
Horizontal



EH4276K



EH4277K



EH4278K



EH4279K

Clair Wood 15

Installation
Horizontal
Vertical



EH42310K



EH42311K



EH42312K



EH42313K



EH42314K



EH42315K



EH42316K

Excellage Photocatalytic Ceramic Coating 15

15 mm thickness | Excellage Photocatalytic Ceramic Coating 15

15x455x3030(mm) | 8,800JPY/piece 6,380JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Violino

Installation
Horizontal



EH4404K



EH4405K



EH4406K

Fine Cresta 15

Installation
Horizontal



EH3491K



EH3493K



EH3497K



EH3498K

Traditional Border 15

Installation
Horizontal
and
Vertical



EH3674K



EH3678K



EH3679K



EH36710K



EH36711K

Recife

Installation
Horizontal



EH4241K




EH4244K

Stable Tile

Installation
Horizontal



EH4412K



EH4416K



EH4417K

Cube Sucre 15

Installation
Horizontal



EH3946K



EH3947K



EH3948K



EH3949K

Excellage Photocatalytic Ceramic Coating 15

15 mm thickness | Excellage Photocatalytic Ceramic Coating 15

15x455x3030(mm) | 8,800JPY/piece 6,380JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Scratch Cross

Installation
Horizontal




EH4041K



EH4044K



EH4045K



EH4046K

Cimant Flat

Installation
Horizontal
Vertical



EH7301H



EH7302H



EH7303H



EH7304H



EH7305H

Plaster Flat

Installation
Horizontal
Vertical



EH7531H



EH7532H



EH7533H



EH7534H



EH7535H



EH7536H

15 mm thickness | Excellage Photocatalytic Ceramic Coating 15

15x455x3030(mm) | 8,600JPY/piece 6,240JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Glitter

Installation
Horizontal



EH4651K



EH4652K



EH4653K



EH4654K

Clot

Installation
Horizontal



EH4121K



EH4122K



EH4124K

Smash Line 15

Installation
Horizontal



A EH4221H
B EH4221K



A EH4222H
B EH4222K



A EH4223H
B EH4223K



A EH4224H
B EH4224K



A EH4225H
B EH4225K



A EH4226H
B EH4226K



A EH4227H
B EH4227K



A EH4228H
B EH4228K

Placido 15

Installation
Horizontal



EH3871K



EH38710K



EH38711K

Hiyori 15

Installation
Horizontal



A EH3211H
B EH3211K



A EH3212H
B EH3212K

Solennael

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal and Vertical



EH7081K



EH7082K



EH7083K




EH7084K

Specifications

Size	15×455(exposed width)×3030mm
Price	9,100JPY /piece 6,600JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories					
	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
EH7081K	EHD7081K	EHP7081K	B2241W2	B84302491A	B96L1438DU	—
EH7082K	EHD7082K	EHP7082K	B2241512	B84302818	—	B97L3929AK
EH7083K	EHD7083K	EHP7083K	B2241550	B84302503	—	B97L3930AK
EH7084K	EHD7084K	EHP7084K	B2241W1	B8430709	B96L3931AK	—
Price	3,600JPY /piece	16,000JPY /piece	2,900JPY /piece	6,000JPY /piece	6,000JPY /box	11,900JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g) 1piece,brush2pieces	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Silbus Tile 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH37012K



EH37013K



EH37014K



EH37015K



EH37016K

Specifications

Size	15×455(exposed width)×3030mm
Price	9,100JPY /piece 6,600JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH37012K		EHD37012K	B84302491A	B97L3996AK
EH37013K		EHD37013K	B84302944	B97L3997AK
EH37014K		EHD37014K	B84302526	B97L3998AK
EH37015K		EHD37015K	B84302996	B97L3999AK
EH37016K		EHD37016K	B8430713	B97L4000AK
Price		3,600JPY /piece	6,000JPY /piece	11,900JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>		Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Rock Stripe

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



EH4831K



EH4832K



EH4833K



EH4834K

Specifications

Size	15×455(exposed width)×3030mm
Price	9,100 JPY /piece 6,600JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 23kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH4831K		EHD4831K	B8430746	B98L3830AK
EH4832K		EHD4832K	B8430976A	B98L3831AK
EH4833K		EHD4833K	B84302417B	B98L3832AK
EH4834K		EHD4834K	B8430709	B98L3833AK
Price		3,600 JPY /piece	6,000 JPY /piece	12,400 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces


*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Baker Brick

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4276K



EH4277K



EH4278K



EH4279K

Specifications

Size	15×455(exposed width)×3030mm
Price	9,100 JPY /piece 6,600 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH4276K		EHD4276K	B84303827	B97L4001AK
EH4277K		EHD4277K	B84304002	B97L4002AK
EH4278K		EHD4278K	B84302417C	B97L4003AK
EH4279K		EHD4279K	B8430743	B97L4004AK
Price		3,600 JPY /piece	6,000 JPY /piece	11,900 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately		Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Clair Wood 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EH42310K



EH42311K



EH42312K




EH42313K



EH42314K



EH42315K




EH42316K

Specifications

Size	15×455(exposed width)×3030mm
Price	9,100 JPY/piece 6,600 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EH42310K	EHD42310K	EHP42310K	B2241W2	B8430495	B97L4005AK
EH42311K	EHD42311K	EHP42311K	B2241W4	B84301566C	B97L4006AK
EH42312K	EHD42312K	EHP42312K	B2241549	B84304007	B97L4007AK
EH42313K	EHD42313K	EHP42313K	B22412606	B84304008	B97L4008AK
EH42314K	EHD42314K	EHP42314K	B22413060	B84304009	B97L4009AK
EH42315K	EHD42315K	EHP42315K	B2241476	B8430748	B97L4010AK
EH42316K	EHD42316K	EHP42316K	B2241W3	B84302417B	B97L4011AK
Price	3,600 JPY/piece	16,000 JPY/piece	2,900 JPY/piece	6,000 JPY/piece	11,900 JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece)	1 set/box
				Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(1g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Violino

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4404K



EH4405K



EH4406K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EH4404K		EHD4404K	B8430707	B97L2897AK
EH4405K		EHD4405K	B8430976	B97L2894AK
EH4406K		EHD4406K	B84302636	B97L2895BK
Price		3,600 JPY /piece	6,000 JPY /piece	11,900 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1 piece)	10 pieces/box ^{*1} (Ordering Unit 1 piece) Caulking(600ml)10 pieces, Primer,brush, nozzle2 pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2 pieces, Primer(7.5g)1 piece,brush3 pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Fine Cresta 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH3491K



EH3493K



EH3497K



EH3498K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories			
	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
EH3491K	EHD3491K	B8430746	B96644DK	—
EH3493K	EHD3493K	B8430408	—	B97808BK
EH3497K	EHD3497K	B8430743	B96743CK	—
EH3498K	EHD3498K	B8430409	—	B971853BK
Price	3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box	11,900 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)	1 set/box	1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces ^{*1} Holder set are sold separately	Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	Inorganic ever-drying type Paint Base(9g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Traditional Border 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



EH3674K



EH3678K



EH3679K



EH36710K




EH36711K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800JPY /piece 6,380JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 23kg/piece


Outside corner

Outside corner l=455




15×outside:90(inside:75)
×455(exposed width)

Outside corner l=3030



15×outside:90(inside:75)
×3030

Shiplap corner



Vertical installation with clips

Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories		Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
	Outside corner l=455	Outside corner l=3030				
EH3674K	EHD3674K	EHP3674K	B2241W3	B8430743	B961468BK	—
EH3678K	EHD3678K	EHP3678K	B2241W3	B8430581	B961736BK	—
EH3679K	EHD3679K	EHP3679K	B2241512	B8430746	B96644EK	—
EH36710K	EHD36710K	EHP36710K	B2241W4	B84302503	—	B971916BK
EH36711K	EHD36711K	EHP36711K	B2241427	B8430498A	—	B971917AK
Price	3,600JPY /piece	16,000JPY /piece	2,900JPY /piece	6,000JPY /piece	6,000JPY /box	11,900JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box [*] (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush,nozzle2pieces	Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	Inorganic ever-drying type Paint Base(9g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Recife

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4241K




EH4244K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH4241K		EHD4241K	B84302491	B962669BK
EH4244K		EHD4244K	B84302417B	B962562FK
Price		3,600 JPY/piece	6,000 JPY/piece	6,000 JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately		Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Stable Tile

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4412K



EH4416K



EH4417K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 23kg/piece

Outside corner



Accessories list


Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint
EH4412K		EHD4412K	B84302818	B96L2899AK
EH4416K		EHD4416K	B84302818	B96L2898AK
EH4417K		EHD4417K	B84302491A	B96L2669AK
Price		3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1 piece)	10 pieces/box*1 (Ordering Unit 1 piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Cube Sucre 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH3946K



EH3947K



EH3948K



EH3949K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH3946K		EHD3946K	B8430582	B961912CK
EH3947K		EHD3947K	B8430746	B961910BK
EH3948K		EHD3948K	B84301615	B961911BK
EH3949K		EHD3949K	B8430746	B961901BK
Price		3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>		Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces


*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Scratch Cross

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4041K



EH4044K



EH4045K



EH4046K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list


Genuine accessories are required to install siding panels

Panel	Accessories			
	Outside corner L=455	Caulking (Holder set: B80E)	Repair Paint	
EH4041K	EHD4041K	B84302491	B97L1891AK	—
EH4044K	EHD4044K	B8430709	—	B98L1894AK
EH4045K	EHD4045K	B8430746	—	B98L1892AK
EH4046K	EHD4046K	B84301653	—	B98L1893AK
Price	3,600 JPY /piece	6,000 JPY /piece	11,900 JPY /box	12,400 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)	1 set/box	1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces ^{*1} Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Cimant Flat

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




EH7301H



EH7302H



EH7303H



EH7304H



EH7305H

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800JPY /piece 6,380JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner

Shiplap corner

Vertical installation with clips

Outside corner l=455 Outside corner l=3030

15×outside:90(inside:75) ×455(exposed width) 15×outside:90(inside:75) ×3030

Accessories list


Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EH7301H	EHD7301H	EHP7301H	B2241W2	B84302491A	B96644EK
EH7302H	EHD7302H	EHP7302H	B2241557	B84303990	B963177AK
EH7303H	EHD7303H	EHP7303H	B2241550	B84301937	B963327AH
EH7304H	EHD7304H	EHP7304H	B2241550	B84302414	B963326AH
EH7305H	EHD7305H	EHP7305H	B2241549	B8430713	B96783BH
Price	3,600JPY /piece	16,000JPY /piece	2,900JPY /piece	6,000JPY /piece	6,000JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Plaster Flat


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




EH7531H




EH7532H



EH7533H



EH7534H



EH7535H




EH7536H

Specifications

Size	15×455(exposed width)×3030mm
Price	8,800 JPY /piece 6,380 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list


Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
EH7531H	EHD7531H	EHP7531H	B2241W2	B84302491A	B96L2597AH
EH7532H	EHD7532H	EHP7532H	B2241417	B84303102	B96L3257AH
EH7533H	EHD7533H	EHP7533H	B2241550	B84302503	B96L3327AH
EH7534H	EHD7534H	EHP7534H	B2241549	B84304101	B96L3049AH
EH7535H	EHD7535H	EHP7535H	B2241W3	B84301713B	B96L3353AH
EH7536H	EHD7536H	EHP7536H	B2241W1	B84304103	B96L3419AH
Price	3,600 JPY/piece	16,000 JPY/piece	2,900 JPY/piece	6,000 JPY/piece	6,000 JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener (7g)1piece, Primer(7.5g)1piece,brush2pieces


*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Glitter

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4651K



EH4652K



EH4653K




EH4654K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,600 JPY /piece 6,240 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EH4651K		EHD4651K	B84303044	B963064AK
EH4652K		EHD4652K	B84302491A	B962551BK
EH4653K		EHD4653K	B84301615	B961765AK
EH4654K		EHD4654K	B8430709	B96709EK
Price		3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>		Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Excellage Photocatalytic Ceramic Coating 15

Clot

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH4121K



EH4122K



EH4124K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,600 JPY /piece 6,240 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
EH4121K		EHD4121K	B84302491A	B962551AK
EH4122K		EHD4122K	B8430746	B96746BK
EH4124K		EHD4124K	B8430709	B96709EK
Price		3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.



Smash Line 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



A EH4221H
B EH4221K




A EH4222H
B EH4222K



A EH4223H
B EH4223K




A EH4224H
B EH4224K



A EH4225H
B EH4225K



A EH4226H
B EH4226K



A EH4227H
B EH4227K



A EH4228H
B EH4228K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,600 JPY/piece 6,240 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
A	EH4221H	EHD4221H	B84302491A	B962597CH
	EH4222H	EHD4222H	B8430746	B961484EH
	EH4223H	EHD4223H	B84302503	B962594CH
	EH4224H	EHD4224H	B8430709	B961708CH
	EH4225H	EHD4225H	B8430495	B961602CH
	EH4226H	EHD4226H	B84301758A	B961428CH
	EH4227H	EHD4227H	B84303044	B963044AH
	EH4228H	EHD4228H	B84303045	B963045BH
B	EH4221K	EHD4221K	B84302491A	B962551BK
	EH4222K	EHD4222K	B8430746	B96746BK
	EH4223K	EHD4223K	B84302503	B962720AK
	EH4224K	EHD4224K	B8430709	B96709GK
	EH4225K	EHD4225K	B8430495	B96644BK
	EH4226K	EHD4226K	B84301758A	B96747CK
	EH4227K	EHD4227K	B84303044	B963167AK
	EH4228K	EHD4228K	B84303045	B963224AK
Price		3,600 JPY/piece	6,000 JPY/piece	6,000 JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ¹ (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>		Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Placido 15

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



EH3871K



EH38710K



EH38711K

Specifications

Size	15×455(exposed width)×3030mm
Price	8,600 JPY /piece 6,240 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 23kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking [Holder set: B80E]	Repair Paint
EH3871K		EHD3871K	B8430495	B96644BK
EH38710K		EHD38710K	B84302491A	B962551AK
EH38711K		EHD38711K	B8430976	B962818AK
Price		3,600 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.