


KMEW

Quality Distributed By



Wall


2024 | 02 |





Products


Legerair / FLAT DESIGN PANEL / Neorock Photocatalytic Ceramic Coating /
Filltect Photocatalytic Ceramic Coating / Excellage Photocatalytic Ceramic Coating



Dirt is decomposed
by sunlight

Decomposition Power

Dirt is decomposed by the sun (Ultraviolet Rays), weakening adhesion.




A home that is eco-friendly

Air-purifying Function

Photocatalytic coat decomposes pollutants in the air and exhaust gas (NOx and SOx) into clean air .

The air purification capability of Photocatalytic coat of 165m² is worth 12 poplars.




*Assuming a poplar tree's air purifying capability (NO2) is 0.57g / day

Compatibility with water allows for easy cleaning.

Super Hydrophilic Property

Due to the extreme compatibility with water, rainwater rinses off dirt.



The ceramic coating layer offers strong protection against fading and sunburning


Super Weather Resistance

The double effects of the inorganic resin and the inorganic UV absorber protects against over time and cuts UV rays.

Point 1: Inorganic resin

The main framework is 100% inorganic with bonds that are strengthened by UV energy to prevent deterioration over time.

■ Molecular structure diagram



Bonds are not easily broken

Molecular Bonds

413 KJ / mol
Kilo joules per mole

443 KJ / mol

Increased strength from UV energy to prevent bonds from being easily broken

Point 2: Inorganic UV absorber

The inorganic construction helps prevent deterioration and is able to cut UV rays.




Products

Neorock Hydrophilic coating / Excellage Hydrophilic coating
Filltect Hydrophilic coating / Ceradir Hydrophilic coating



Compatibility with water allows for easy cleaning.


Washed away by rainwater. Water gets on the dirt and washes the dirt away



Advanced hydrophilic coating technology helps wash away dirt accumulated on the panel with rainwater. After panel being cleaned with rainwater from dirt, moisture remains on the hydrophilic surface. The color coating is strongly protected from moisture.

Hydrophilic

The panel structure is formed from the substrate, base paint protective clear coating and hydrophilic coating.







Filltect Photocatalytic Ceramic Coating 16 ARTIER
Natural Brick FT
FH4927U

Filltect Photocatalytic Ceramic Coating 16

Filltect Photocatalytic Ceramic Coating 16 Ceratopia

Polished Stone FT
 Gemma FT
 New Inplace FT
 Barn Wood FT
 Brulee Wood FT
 Fierte FT
 Board Formed Concrete FT

Filltect Photocatalytic Ceramic Coating 16

ARTIER

Ridge Wave FT
 Accurate FT
 Natural Brick FT
 Drawer Tile FT
 Sephiro Wood FT
 Urban Cedar FT

Filltect Photocatalytic Ceramic Coating 16

New Slim Stone FT
 Ofen Brick FT
 Tiers Tile FT
 Smash Line FT
 Stripe 10 FT
 Modern Slit FT
 Strahl FT
 Fiotto FT
 Scre Flat FT
 Cast Stripe FT
 Cashmere Smooth FT
 Zen Garden FT
 8 Reveal FT

■ Performance List

item	unit	Filltect Photocatalytic Ceramic Coating 16	note
		16mm thickness	
specific gravity	—	1.0*	Drying at 105°C for 24 hours
Water content	%	20 or under	JISA5422
Water absorption rate	%	50 or under	Water absorption 24h→105°C 24h
Bending Failure Load	N	785 or over	JISA5422
Impact resistance	—	Passed	JISA5422

*These are our measured values.

Filltect Photocatalytic Ceramic Coating 16 Ceratopia

16 mm thickness | Filltect Photocatalytic Ceramic Coating 16 Ceratopia

16x455x3030(mm) | 11,000JPY/piece 7,980JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Polished Stone FT

Installation
Horizontal



FH7231A



FH7232A



FH7233A

Gemma FT

Installation
Horizontal



FH7241A



FH7242A



FH7243A

New Inplace FT

Installation
Horizontal



FH7251A



FH7252A



FH7253A

Barn Wood FT

Installation
Horizontal and
Vertical



HFH7521A



HFH7522A



HFH7523A



HFH7524A



HFH7526A

Brulee Wood FT

Installation
Horizontal
Vertical



FH7261A



FH7263A



FH7265A

Fierte FT

Installation
Horizontal
Vertical



FH7272A



FH7274A



FH7275A



FH7276A



FH7277A



FH7278A



FH7279A

Board Formed Concrete FT

Installation
Horizontal
Vertical



HFH7431A



HFH7432A



HFH7433A

Filltect Photocatalytic Ceramic Coating 16 ARTIER

16 mm thickness | Filltect Photocatalytic Ceramic Coating 16 ARTIER

16x455x3030(mm) | 10,500JPY/piece 7,620JPY/m²

Photocatalytic Self-cleaning
Weather resistance grade ★★★

Ridge Wave FT

Installation
Horizontal



FH4911U



FH4913U



FH4914U

Accurate FT

Installation
Horizontal



FH7131U



FH7132U



FH7133U



FH7134U

Natural Brick FT

Installation
Horizontal



FH4925U



FH4926U



FH4927U



FH4928U

Drawer Tile FT

Installation
Horizontal



FH4935U



FH4936U



FH4937U



FH4938U

Sephiro Wood FT

Installation
Horizontal and Vertical



FH4875U



FH4878U



FH4879U



FH48710U



FH48712U



FH48713U

Urban Cedar FT

Installation
Horizontal and Vertical



HFH7451U



HFH7452U



HFH7453U



HFH7454U



HFH7455U

Filltect Photocatalytic Ceramic Coating 16

16 mm thickness | Filltect Photocatalytic Ceramic Coating 16

16x455x3030(mm) | 10,200JPY/piece 7,400JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

New Slim Stone FT

Installation
Horizontal
Vertical



FH4865U



FH4867U



FH4868U



FH4869U

Ofen Brick FT

Installation
Horizontal



FH7155A



FH7156A



FH7157A




FH7158A

Tiers Tile FT

Installation
Horizontal



FH7141A



FH7142A



FH7143A



FH7144A



FH7145A



FH7146A

16 mm thickness | Filltect Photocatalytic Ceramic Coating 16

16x455x3030(mm) | 10,000JPY/piece 7,250JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Smash Line FT

Installation
Horizontal



FH4885U



FH4886U



FH4887U



FH4888U

Stripe 10 FT

Installation
Horizontal
and
Vertical



FH7161U



FH7162U




FH7163U



FH7164U

Modern Slit FT

Installation
Horizontal
and
Vertical



HFH9181U



HFH9183U



HFH9184U



HFH9185U



HFH9188U



HFH91814U

Strahl FT

Installation
Horizontal



FH7171U



FH7172U



FH7173U



FH7175U

Fiotto FT

Installation
Horizontal
and
Vertical



FH4895U



FH4896U




FH4898U




FH4899U

Scre Flat FT

Installation
Horizontal
and
Vertical



FH7281A



FH7282A



FH7283A

Cast Stripe FT

Installation
Horizontal
and
Vertical



HFH7461U



HFH7462U



HFH7463U



HFH7464U

Filltect Photocatalytic Ceramic Coating 16

16 mm thickness | Filltect Photocatalytic Ceramic Coating 16

16x455x3030(mm) | 10,000JPY/piece 7,250JPY/m²

Photocatalytic
Self-
cleaning

Weather
resistance grade
★★★

Cashmere Smooth FT

Installation
Horizontal
Vertical



Zen Garden FT

Installation
Horizontal
Vertical



8 Reveal FT

Reference
Horizontal
and
Vertical



HFH9131U



HFH9132U



HFH9133U



HFH9134U



HFH9135U



HFH9136U



HFH9137U




HFH9138U



HFH9139U



HFH91310U



HFH91311U



HFH91312U



HFH91313U



HFH91314U



HFH91315U

Polished Stone FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7231A



FH7232A



FH7233A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000 JPY /piece 7,980 JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner (l=455)	Caulking (Holder set: B80E)	Repair Paint	
FH7231A		FHD7231A	B8430975	B97F2934AA	—
FH7232A		FHD7232A	B84302491A	—	B98F2935AA
FH7233A		FHD7233A	B84302978	—	B98F2936AA
Price		4,400 JPY /piece	6,000 JPY /piece	11,900 JPY /box	12,400 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each,Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces,felt stick2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each,Hardener(7g)3pieces, Primer(7.5g)1piece, brush4pieces,felt stick3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Gemma FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7241A



FH7242A



FH7243A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FH7241A		FHD7241A	B8430978	B97F2985AA	—
FH7242A		FHD7242A	B8430979	—	B98F2986AA
FH7243A		FHD7243A	B84301847	B97F2987AA	—
Price		4,400JPY /piece	6,000JPY /piece	11,900JPY /box	12,400JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each,Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces,felt stick2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each,Hardener(7g)3pieces, Primer(7.5g)1piece, brush4pieces,felt stick3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

New Inplace FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7251A



FH7252A



FH7253A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH7251A		FHD7251A	B84302999	B97F2999AA
FH7252A		FHD7252A	B84303800	B97F3800AA
FH7253A		FHD7253A	B84301843	B97F3801AA
Price		4,400JPY /piece	6,000JPY /piece	11,900JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each,Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces, felt stick2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Barn Wood FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



HFH7521A



HFH7522A



HFH7523A



HFH7524A



HFH7526A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
HFH7521A	HFHD7521A	HFHL7521A	B2241557	B84302980	B97F2980AA	—
HFH7522A	HFHD7522A	HFHL7522A	B22413113	B84302831	B97F2981AA	—
HFH7523A	HFHD7523A	HFHL7523A	B2241W3	B84302982	B97F2982AA	—
HFH7524A	HFHD7524A	HFHL7524A	B2241441	B84302864	—	B98F2983AA
HFH7526A	HFHD7526A	HFHL7526A	B2241460	B84304099	—	B98F4099AA
Price	4,400JPY /piece	19,500JPY /piece	2,900JPY /piece	6,000JPY /piece	11,900JPY /box	12,400JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces,felt stick2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece, brush4pieces,felt stick3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Brulee Wood FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



FH7261A



FH7263A



FH7265A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner

Outside corner l=455 Outside corner l=3030 Shiplap corner

Vertical installation with clips

16×outside:91(inside:75) ×455(exposed width) 16×outside:91(inside:75) ×3030

Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories		Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
	Outside corner l=455	Outside corner l=3030				
FH7261A	FHD7261A	FHP7261A	B2241557	B84302955	B97F2955AA	—
FH7263A	FHD7263A	FHP7263A	B22412606	B84302956A	B97F2956AA	—
FH7265A	FHD7265A	FHP7265A	B22413114	B84302415	—	B98F3953AA
Price	4,400JPY /piece	19,500JPY /piece	2,900JPY /piece	6,000JPY /piece	11,900JPY /box	12,400JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush,nozzle2pieces	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces, felt stick2pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece, brush4pieces, felt stick3pieces
				*Holder set are sold separately		

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Fierte FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal and Vertical



FH7272A



FH7274A



FH7275A



FH7276A



FH7277A



FH7278A




FH7279A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking [Holder set: B80E]	Repair Paint	
Panel						
FH7272A	FHD7272A	FHP7272A	B2241557	B84303887	B96F3887AA	—
FH7274A	FHD7274A	FHP7274A	B2241550	B84303891	B96F3891AA	—
FH7275A	FHD7275A	FHP7275A	B2241549	B84303892	—	B97F3892AA
FH7276A	FHD7276A	FHP7276A	B2241476	B84303939	—	B97F3939AA
FH7277A	FHD7277A	FHP7277A	B2241512	B84303937	B96F3937AA	—
FH7278A	FHD7278A	FHP7278A	B22413113	B8430442	—	B97F3938AA
FH7279A	FHD7279A	FHP7279A	B2241557	B84302949	—	B97F3988AA
Price	4,400JPY /piece	19,500JPY /piece	2,900JPY /piece	6,000JPY /piece	6,000JPY /box	11,900JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box* (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece, brush2pieces,felt stick1piece	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces,felt stick2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Board Formed Concrete FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



HFH7431A



HFH7432A




HFH7433A

Specifications

Size	16×455(exposed width)×3030mm
Price	11,000JPY /piece 7,980JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
HFH7431A	HFHD7431A	HFHL7431A	RE224557	B84302879	B97F3823AA
HFH7432A	HFHD7432A	HFHL7432A	RE224557	B84302880	B97F3824AA
HFH7433A	HFHD7433A	HFHL7433A	B224550	B84301823	B97F3825AA
Price	4,400JPY /piece	19,500JPY /piece	2,900JPY /piece	6,000JPY /piece	11,900JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7.5g)2pieces, Primer(7.5g)1piece, brush3pieces,felt stick2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Ridge Wave FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH4911U



FH4913U



FH4914U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY/piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories			
	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FH4911U	FHD4911U	B84303859	—	B98L3859AU
FH4913U	FHD4913U	B8430409	—	B98L3861AU
FH4914U	FHD4914U	B84303045	B97L3862AU	—
Price	4,000JPY/piece	6,000JPY/piece	11,900JPY/box	12,400JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *1 Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces


*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Accurate FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7131U



FH7132U



FH7133U



FH7134U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY /piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH7131U		FHD7131U	B84302491B	B97L3910AU
FH7132U		FHD7132U	B84303212	B97L3911AU
FH7133U		FHD7133U	B84303045	B97L3912AU
FH7134U		FHD7134U	B84303045	B97L3913AU
Price		4,000JPY /piece	6,000JPY /piece	11,900JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces <small>*Holder set are sold separately</small>	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(1g)2pieces, Primer(7.5g)1piece,brush3pieces


*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Natural Brick FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH4925U



FH4926U



FH4927U



FH4928U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY /piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FH4925U		FHD4925U	B84302491A	B97L3959AU	—
FH4926U		FHD4926U	B8430746	—	B98L3960AU
FH4927U		FHD4927U	B8430427	—	B98L3961AU
FH4928U		FHD4928U	B84302503	—	B98L3962AU
Price		4,000JPY /piece	6,000JPY /piece	11,900JPY /box	12,400JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)		10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
			Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Drawer Tile FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH4935U



FH4936U



FH4937U



FH4938U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY/piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FH4935U		FHD4935U	B84303963	B97L3963AU	—
FH4936U		FHD4936U	B84303941	—	B98L3964AU
FH4937U		FHD4937U	B84302417B	—	B98L3965AU
FH4938U		FHD4938U	B8430713	B97L3966AU	—
Price		4,000JPY/piece	6,000JPY/piece	11,900JPY/box	12,400JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box		1 set/box
			Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces		Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Sephiro Wood FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



FH4875U



FH4878U



FH4879U



FH48710U



FH48712U



FH48713U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY/piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner

Outside corner l=455 Outside corner l=3030 Shiplap corner

Vertical installation with clips

16×outside:91(inside:75) ×455(exposed width) 16×outside:91(inside:75) ×3030

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
Panel						
FH4875U	FHD4875U	FHP4875U	B224 1476	B84302833	—	B972833CU
FH4878U	FHD4878U	FHP4878U	B224 1W3	B84302836	—	B972836CU
FH4879U	FHD4879U	FHP4879U	B224 12606	B84302920	—	B972920AU
FH48710U	FHD48710U	FHP48710U	B224 1W2	B8430495	—	B973946AU
FH48712U	FHD48712U	FHP48712U	B224 1W1	B8430709	B962931AU	—
FH48713U	FHD48713U	FHP48713U	B224 1W4	B84302636A	—	B974059AU
Price	4,000JPY/piece	18,000JPY/piece	2,900JPY/piece	6,000JPY/piece	6,000JPY/box	11,900JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle 2pieces	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	1 set/box Inorganic ever-drying type Paint Base(9g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Urban Cedar FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



HFH7451U



HFH7452U



HFH7453U



HFH7454U




HFH7455U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,500JPY/piece 7,620JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories		Repair Paint	
	Outside corner l=455	Outside corner l=3030		
HFH7451U	HFHD7451U	HFHL7451U	B97L3954AU	—
HFH7452U	HFHD7452U	HFHL7452U	—	B98L3955AU
HFH7453U	HFHD7453U	HFHL7453U	B97L3956AU	—
HFH7454U	HFHD7454U	HFHL7454U	—	B98L3927AU
HFH7455U	HFHD7455U	HFHL7455U	—	B98L3958AU
Price	4,000JPY/piece	18,000JPY/piece	11,900JPY/box	12,400JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

New Slim Stone FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



FH4865K



FH4867K



FH4868K




FH4869K

Specifications

Size	16×455(exposed width)×3030mm
Price	10,200JPY/piece 7,400JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories		Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
	Outside corner l=455	Outside corner l=3030				
FH4865K	FHD4865K	FHP4865K	B2241W2	B84301944	B96L2531EU	—
FH4867K	FHD4867K	FHP4867K	B2241W4	B84301937	—	B97L1937BU
FH4868K	FHD4868K	FHP4868K	B2241550	B84301935A	—	B97L1935BU
FH4869K	FHD4869K	FHP4869K	B22413114	B84303869	—	B97L3840AU
Price	4,000JPY/piece	18,000JPY/piece	2,900JPY/piece	6,000JPY/piece	6,000JPY/box	11,900JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Ofen Brick FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7155A



FH7156A



FH7157A



FH7158A

Specifications

Size	16×455(exposed width)×3030mm
Price	10,200JPY /piece 7,400JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH7155A		FHD7155A	B84304047	B97L4083AA
FH7156A		FHD7156A	B84301653	B97L4049AA
FH7157A		FHD7157A	B8430409B	B97L4084AA
FH7158A		FHD7158A	B84301653	B97L4048AA
Price		4,000JPY /piece	6,000JPY /piece	11,900JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(1g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Tiers Tile FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7141A



FH7142A



FH7143A



FH7144A



FH7145A



FH7146A

Specifications

Size	16×455(exposed width)×3030mm
Price	10,200JPY/piece 7,400JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list


Genuine accessories are required to install siding panels

Panel	Accessories			
	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FH7141A	FHD7141A	B84301653	—	B97L3928AA
FH7142A	FHD7142A	B84301653	—	B97L3929AA
FH7143A	FHD7143A	B84302417	B96L3246AA	—
FH7144A	FHD7144A	B84303045	—	B97L3931AA
FH7145A	FHD7145A	B84304047	—	B97L4083AA
FH7146A	FHD7146A	B84301653	—	B97L4048AA
Price	4,000JPY/piece	6,000JPY/piece	6,000JPY/box	11,900JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece)	1 set/box	1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *1 Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Smash Line FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH4885U



FH4886U



FH4887U




FH4888U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000 JPY /piece 7,250 JPY/m ²
Number of panel per package	2 pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH4885U		FHD4885U	B84303044	B96L3106BU
FH4886U		FHD4886U	B84302491B	B96L2531CU
FH4887U		FHD4887U	B84301758A	B96L2583CU
FH4888U		FHD4888U	B84303045	B96L3222AU
Price		4,000 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Stripe 10 FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal



FH7161K



FH7162K



FH7163K




FH7164K

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000 JPY /piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list


Genuine accessories are required to install siding panels

Panel	Outside corner L=455	Outside corner L=3030	Through Wall Flashing L=3030	Caulking (Holder set: B80E)	Repair Paint
FH7161K	FHD7161K	FHP7161K	B2241W2	B84302491B	B96L2531CU
FH7162K	FHD7162K	FHP7162K	B2241549	B84303212	B96L3212AU
FH7163K	FHD7163K	FHP7163K	B2241462	B84301758A	B96L2583BU
FH7164K	FHD7164K	FHP7164K	B2241W3	B8430713	B96L2416BU
Price	4,000 JPY /piece	18,000 JPY /piece	2,900 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box* ¹ (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Modern Slit FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★★	Installation Horizontal and Vertical



HFH9181U



HFH9183U



HFH9184U



HFH9185U



HFH9188U




HFH91814U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000JPY/piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
HFH9181U	HFHD9181U	HFHL9181U	B22413058	B84303051	B963051AU
HFH9183U	HFHD9183U	HFHL9183U	B2241W2	B84302491B	B962531BU
HFH9184U	HFHD9184U	HFHL9184U	B2241557	B8430557	B963444AU
HFH9185U	HFHD9185U	HFHL9185U	B2241550	B84301823	B963445AU
HFH9188U	HFHD9188U	HFHL9188U	B2241W3	B8430713B	B963448AU
HFH91814U	HFHD91814U	HFHL91814U	B2241462	B84301758A	B962583DU
Price	4,000JPY/piece	18,000JPY/piece	2,900JPY/piece	6,000JPY/piece	6,000JPY/box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7.5g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Strahl FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal



FH7171U



FH7172U



FH7173U




FH7175U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000 JPY /piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH7171U		FHD7171U	B84303051	B96L3106BU
FH7172U		FHD7172U	B84302491B	B96L2531CU
FH7173U		FHD7173U	B8430746	B96L1439BU
FH7175U		FHD7175U	B84303045	B96L3222AU
Price		4,000 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)		1 set/box
		Caulking(600ml)10pieces, Primer,brush, nozzle2pieces	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	
		*Holder set are sold separately		

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Fiotto FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



FH4895U



FH4896U



FH4898U




FH4899U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000 JPY /piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
FH4895U	FHD4895U	FHP4895U	B2241W2	B8430577	B96L2540CU
FH4896U	FHD4896U	FHP4896U	B2241W2	B8430495	B96L1438HU
FH4898U	FHD4898U	FHP4898U	B2241W3	B8430713	B96L2416BU
FH4899U	FHD4899U	FHP4899U	B2241557	B84302546	B96L2546BU
Price	4,000 JPY /piece	18,000 JPY /piece	2,900 JPY /piece	6,000 JPY /piece	6,000 JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Scre Flat FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



FH7281A



FH7282A




FH7283A

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000JPY /piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
FH7281A	FHD7281A	FHP7281A	B22413058	B84303051	B96L3051CA
FH7282A	FHD7282A	FHP7282A	B2241W2	B84302491B	B96L2531EA
FH7283A	FHD7283A	FHP7283A	B2241W1	B84303045	B96L3222AA
Price	4,000JPY /piece	18,000JPY /piece	2,900JPY /piece	6,000JPY /piece	6,000JPY /box
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box*1 (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Cast Stripe FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



HFH7461U



HFH7462U



HFH7463U





HFH7464U

Specifications

Size	16×455(exposed width)×3030mm
Price	10,000 JPY /piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner

Outside corner l=455  16×outside:91(inside:75) ×455(exposed width)	Outside corner l=3030  16×outside:91(inside:75) ×3030
--	---

Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Repair Paint
HFH7461U		HFHD7461U	HFHL7461U	B962540BU
HFH7462U		HFHD7462U	HFHL7462U	B962628BU
HFH7463U		HFHD7463U	HFHL7463U	B963448AU
HFH7464U		HFHD7464U	HFHL7464U	B963445AU
Price		4,000 JPY /piece	18,000 JPY /piece	6,000 JPY /box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base[10g]1piece, Hardener[7g]1piece, Primer[7.5g]1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Cashmere Smooth FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



Specifications

Size	16×455(exposed width)×3030mm
Price	10,000JPY/piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Repair Paint
HFH9161A		HFHD9161A	HFHL9161A	B224441	B963051AU
HFH9162A		HFHD9162A	HFHL9162A	B224476	B962540BU
HFH9163A		HFHD9163A	HFHL9163A	B224441	B962531BU
HFH9164A		HFHD9164A	HFHL9164A	B224512	B963444AU
HFH9165A		HFHD9165A	HFHL9165A	B224476	B963445AU
HFH9166A		HFHD9166A	HFHL9166A	B224441	B963446AU
HFH9167A		HFHD9167A	HFHL9167A	B224476	B963447AU
HFH9168A		HFHD9168A	HFHL9168A	B224441	B963448AU
HFH9169A		HFHD9169A	HFHL9169A	B224512	B962766BU
HFH91610A		HFHD91610A	HFHL91610A	B224476	B962626BU
HFH91611A		HFHD91611A	HFHL91611A	B224441	B9634411AU
HFH91612A		HFHD91612A	HFHL91612A	B224476	B962735CU
HFH91613A		HFHD91613A	HFHL91613A	B224441	B962770BU
HFH91614A		HFHD91614A	HFHL91614A	B224512	B962583DU
HFH91615A		HFHD91615A	HFHL91615A	B224476	—
Price		4,000JPY/piece	18,000JPY/piece	2,900JPY/piece	6,000JPY/box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Zen Garden FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



Specifications

Size	16×455(exposed width)×3030mm
Price	10,000JPY/piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 22kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Repair Paint
HFH9121U		HFHD9121U	HFHL9121U	B963051AU
HFH9122U		HFHD9122U	HFHL9122U	B962540BU
HFH9123U		HFHD9123U	HFHL9123U	B962531BU
HFH9124U		HFHD9124U	HFHL9124U	B963444AU
HFH9125U		HFHD9125U	HFHL9125U	B963445AU
HFH9126U		HFHD9126U	HFHL9126U	B963446AU
HFH9127U		HFHD9127U	HFHL9127U	B963447AU
HFH9128U		HFHD9128U	HFHL9128U	B963448AU
HFH9129U		HFHD9129U	HFHL9129U	B962766BU
HFH91210U		HFHD91210U	HFHL91210U	B962626BU
HFH91211U		HFHD91211U	HFHL91211U	B9634411AU
HFH91212U		HFHD91212U	HFHL91212U	B962735CU
HFH91213U		HFHD91213U	HFHL91213U	B962770BU
HFH91214U		HFHD91214U	HFHL91214U	B962583DU
HFH91215U		HFHD91215U	HFHL91215U	—
Price		4,000JPY/piece	18,000JPY/piece	6,000JPY/box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

8 Reveal FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical



Specifications

Size	16×455(exposed width)×3030mm
Price	10,000JPY/piece 7,250JPY/m ²
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Repair Paint
HFH9131U		HFHD9131U	HFHL9131U	B963051AU
HFH9132U		HFHD9132U	HFHL9132U	B962540BU
HFH9133U		HFHD9133U	HFHL9133U	B962531BU
HFH9134U		HFHD9134U	HFHL9134U	B963444AU
HFH9135U		HFHD9135U	HFHL9135U	B963445AU
HFH9136U		HFHD9136U	HFHL9136U	B963446AU
HFH9137U		HFHD9137U	HFHL9137U	B963447AU
HFH9138U		HFHD9138U	HFHL9138U	B963448AU
HFH9139U		HFHD9139U	HFHL9139U	B962766BU
HFH91310U		HFHD91310U	HFHL91310U	B962626BU
HFH91311U		HFHD91311U	HFHL91311U	B963441AU
HFH91312U		HFHD91312U	HFHL91312U	B962735CU
HFH91313U		HFHD91313U	HFHL91313U	B962770BU
HFH91314U		HFHD91314U	HFHL91314U	B962583DU
HFH91315U		HFHD91315U	HFHL91315U	B9634415AU
Price		4,000JPY/piece	18,000JPY/piece	6,000JPY/box
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

KMEW

Quality Distributed By



KMEW Co.,Ltd.

Head office: 13F, Crystal Tower Bldg.,
1-2-27 Shiromi, Chuo-ku, Osaka, Japan